



Material Safety Data Sheet (MSDS)

Product	80-100 Asphalt AP-3		
CAS No.	KE No.	UN No.	EC No.
8052-42-4	KE-01954	1999	232-490-9
List No.	Date of preparation	Date of preparation	Department of Team
PD1017	2008-07-25	2019-11-01	Safety / Health Planning Team

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Substance name : Asphalt
EC No. : 232-490-9
CAS No. : 8052-42-4

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

- Not available

1.2.2. Uses advised against

- Not available

1.3. Details of the supplier of the safety data sheet

Manufacturer/Supplier : GS Caltex Corporation
Address : 508 Nonhyun-ro, Gangnam-gu, Seoul, Korea

1.4. Emergency telephone number

EU-wide emergency number : 112

See section 16.6 for the list of telephone number of National Helpdesks in the European Economic Area.

SECTION 2: HAZARD IDENTIFICATION

2.1. Classification of the substance/mixture

2.1.1. Classification according to Regulation (EC) No 1272/2008 [CLP]

- Carcinogenicity : Category2, H351

2.2. Label elements

2.2.1. Labelling according to Regulation (EC) No 1272/2008 [CLP]

* Hazard Pictogram(s)



* Signal word : Warning

* Hazard statement(s)

- H351 Suspected of causing cancer

* Precautionary statement(s)

1) Prevention

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.

2) Response

- P308+P313 If exposed or concerned: Get medical advice/attention.

3) Storage

- P405 Store locked up.

4) Disposal

- P501 Dispose of contents/container in accordance with local/regional/national/international regulation

2.3. Other hazards

- Not available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.1. Substances**

Name	EC No.	CAS No.	REACH registration No.	% [weight]	Classification [1272/2008/EC]
Asphalt	232-490-9	8052-42-4	-	100	Carc. 2, H351

3.2. Mixtures

- Not applicable

SECTION 4: FIRST AID MEASURES**4.1. Description of first aid measures****General**

- No general information.

Inhalation

- When exposed to large amounts of steam and mist, move to fresh air.
- Take specific treatment if needed.
- Get medical attention immediately.
- If breathing is stopped or irregular, give artificial respiration and supply oxygen.

Skin contact

- Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
- Wash contaminated clothing thoroughly before re-using.
- Get medical attention immediately.

Eye contact

- Do not rub your eyes.
- Immediately flush eyes with plenty of water for at least 15 minutes and call a doctor/physician.
- Get medical attention immediately.

Ingestion

- Please be advised by doctor whether induction of vomit is demanded or not.
- Rinse your mouth with water immediately.
- Get medical attention immediately.

4.2. Most important symptoms and effects, both acute and delayed

- Not available

4.3. Indication of any immediate medical attention and special treatment needed

- Notify medical personnel of contaminated situations and have them take appropriate protective measures.
- If exposed or concerned, get medical attention/advice.

SECTION 5: FIREFIGHTING MEASURES**5.1. Extinguishing media****Suitable extinguishing media**

- Dry chemical, carbon dioxide, regular foam extinguishing agent, spray

Unsuitable extinguishing media

- Avoid use of water jet for extinguishing

5.2. Special hazards arising from the substance or mixture**Hazardous combustion products**

- Not available

5.3. Advice for firefighters

- Move containers from fire area, if you can do without the risk.
- In case of conflagration, use automatic fire sprinkler. Major fire may require withdrawal, allowing the object itself to burn.
- Do not approach the tank surrounded by fire until it is extinguished.
- Use appropriate extinguishing measure suitable for surrounding fire.
- Wear appropriate protective equipment.
- Keep containers cool with water spray.
- Use fire fighting procedures suitable for surrounding area.
- Vapor or gas is burned at distant ignition sources can be spread quickly.

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1. Personal Precautions, protective equipment and emergency procedures****6.1.1. For non-emergency personnel**

- Protective equipment: Wear proper protective equipment.
- Emergency procedures: Not applicable
- If required, notify relevant authorities according to all applicable regulations.

6.1.2. For emergency responders

- Ventilate closed spaces before entering.
- Must work against the wind, let the upwind people to evacuate.
- Do not touch spilled material. Stop leak if you can do it without risk.
- Remove all sources of ignition.
- Do not direct water at spill or source of leak.
- Cleanup and disposal under expert supervision is advised.
- Keep unauthorized people away, isolate hazard area and deny entry.

6.2. Environmental precautions

- Prevent runoff and contact with waterways, drains or sewers.
- If large amounts have been spilled, inform the relevant authorities.
- Avoid dispersal of spilt material and runoff and contact with waterways, drains and sewers. If large spills, advise emergency services.

6.3. Methods and material for containment and cleaning up**6.3.1. For containment**

- Clear spills immediately
- Clean up all spills immediately.
- Control personal contact by using protective equipment.
- Prevent, by any means available, spillage from entering drains or water course.

6.3.2. For cleaning up

- Large spill : Stay upwind and keep out of low areas. Dike for later disposal.
- Notify the central and local government if the emission reach the standard threshold.
- Disposal of waste shall be in compliance with the Wastes Control Act
- Appropriate container for disposal of spilled material collected.
- Small leak: sand or other non-combustible material, please let use absorption.
- Wipe off the solvent.
- Dike for later disposal.

6.3.3. Other information

- Slippery when spilt.

6.4. Reference to other sections

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for information on disposal.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

- Avoid contact with incompatible materials.
- Comply with all applicable laws and regulations for handling
- Refer to Engineering controls and personal protective equipment.
- Operators should wear antistatic footwear and clothing.
- Do not inhale the steam prolonged or repeated.
- Contaminated work clothing should not be allowed out of the workplace.

7.2. Conditions for safe storage, including any incompatibilities

- Do not use damaged containers.
- Do not apply direct heat.
- Avoid direct sunlight.
- Please pay attention to incompatibilities materials and conditions to avoid.
- No open fire.
- By specifying a storage area for carcinogenic substances.
- Collected them in sealed containers.

7.3. Specific end use(s)

- See Section 1 for information on 1.2 Relevant identified uses.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

8.1.1. Occupational exposure limits

European Union (EU) Commission Directive 2006/15/EC (IOELVs)

- Not available

European Union (EU) Commission Directive 2006/15/EC (IOELVs) - Skin

- Not available

8.1.2. Recommended Monitoring Procedures

- Personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

8.1.3. DNEL/PNEC - Values

- Not available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

- Business owner is recommended to maintain below recommended exposure limits for the working place with general exhaust of gas/vapour/mist/fume.

8.2.2. Individual protection measures, such as personal protective equipment

Hand protection

- Wear appropriate glove.

Eye protection

- Wear primary eye protection such as splash resistant safety goggles with a secondary protection face shield.
- Provide an emergency eye wash station and quick drench shower in the immediate work area.

Respiratory Protection

- Under conditions of frequent use or heavy exposure, Respiratory protection may be needed.

- Respiratory protection is ranked in order from minimum to maximum.
- Consider warning properties before use.
- Any chemical cartridge respirator with organic vapor cartridge(s).
- Any chemical cartridge respirator with a full facepiece and organic vapor cartridge(s).
- Any air-purifying respirator with a full facepiece and an organic vapor canister.
- For Unknown Concentration or Immediately Dangerous to Life or Health : Any supplied-air respirator with full facepiece and operated in a pressure-demand or other positive-pressure mode in combination with a separate escape supply. Any self-contained breathing apparatus with a full facepiece.

Skin protection

- Wear appropriate clothing.

8.2.3 Environmental exposure controls

- Do not let product enter drains. For ecological information refer to section 12.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance(State)	solid
Appearance(Color)	Black
Odor	Asphalt odor
Odor threshold	Not available
pH	Not available
Melting point/Freezing point	>57.2°C
Initial boiling point and boiling range	> 400 °C
Flash point	> 260 °C
Evaporation rate	Not available
Flammability(solid, gas)	Flammable solid
Upper/Lower Flammability or explosive limits	Not available
Vapour pressure	<0.01 kPa (<0.1mmHg @20 °C)
Vapour density	>1.6 (air=1)
Relative density	1.1 ((water=1))
Solubility	in soluble to water
Partition coefficient of n-octanol/water	Not available
Autoignition temperature	>400°C
Decomposition temperature	Not available
Viscosity	1100 mm ² /s @120°C
Explosive properties	Not available
Oxidising properties	Not available

9.2. Other information

- Not available

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

- Not available

10.2. Chemical Stability

- This material is stable under recommended storage and handling conditions.

10.3. Possibility of hazardous reactions

- Hazardous Polymerization will not occur.

10.4. Conditions to avoid

- Avoid contact with incompatible materials and condition.
- Avoid : Accumulation of electrostatic charges, Heating, Flames and hot surfaces

10.5. Incompatible materials

- Not available

10.6. Hazardous decomposition products

- May emit flammable vapour if involved in fire.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1. Acute toxicity**

- **Oral**
 - [Asphalt] : LD50 \geq 5000 mg/kg Rat (No deaths OECD Guideline 401, GLP)
- **Dermal**
 - [Asphalt] : LD50 > 2000 mg/kg Rabbit
- **Inhalation**
 - [Asphalt] : Dust LC50 > 94.4 mg/m³ 4.5 hr Rat (No deaths OECD Guideline 403, GLP)

11.2. Skin corrosion/irritation

- [Asphalt] : rabbit; not irritating (OECD TG 404, GLP) (ECHA)

11.3. Serious eye damage/irritation

- [Asphalt] : rabbit; not irritating (OECD TG 405, GLP) (ECHA)

11.4. Respiratory sensitization

- Not available

11.5. Skin sensitization

- [Asphalt] : guinea pig; not sensitising (OECD TG 406, GLP) (ECHA)

11.6. Germ cell mutagenicity

- [Asphalt] : In vitro bacterial reverse mutation assay : negative (ECHA), In Vitro Mammalian Chromosome Aberration Test : negative (OECD TG 473) (ECHA)

11.7. Carcinogenicity

- **IARC**
 - [Asphalt] : Group 2B
- **OSHA**
 - Not available
- **ACGIH**
 - [Asphalt] : A4
- **NTP**
 - Not available
- **EU CLP**
 - Not available

11.8. Reproductive toxicity

- Not available

11.9. Specific target organ toxicity(single exposure):

- [Asphalt] :oral; rat(male/female); Clinical signs:Hypoactivity, diarrhea, dark brown / black staining of the anal region. LD50 > 5000 mg/L, no deaths (OECD TG 401, GLP) (ECHA)

11.10. Specific target organ toxicity(repeated exposure):

- [Asphalt] : dermal; rabbit(male/female); 28 days; 200, 1000, or 2000 mg/kg/day; NOAEL \geq 2000 mg/kg bw/day (Based on body weight data in the absence of significant histopathological findings. No treatment-related effects on reproductive organs were noted.) (OECD TG 410, GLP) (ECHA)

11.11. Aspiration hazard

- Not available

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Fish

- [Asphalt] : 96h-LL50(*Oncorhynchus mykiss*) > 1000 mg/l (read across) (ECHA)

12.1.2. Invertebrate

- [Asphalt] : 48h-LL50(*Daphnia magna*) > 1000 mg/l (read across) (ECHA)

12.1.3. Algae

- [Asphalt] : 72h-ErL50(*Pseudokirchneriella subcapitata*) > 1000 mg/l (read across) (ECHA)

12.2. Persistence and degradability

12.2.1. Persistence

- Not available

12.2.2. Degradability

- Not available

12.3. Bioaccumulative potential

12.3.1. Bioaccumulation

- Not available

12.3.2. Biodegradability

- Not available

12.4. Mobility in soil

- Not available

12.5. Results of PBT and vPvB assessment

- Not available

12.6. Other adverse effects

- Not available

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

- Stabilization and minimization treatment by incineration or similar method can be applied, if more than two kinds of designated wastes are in mixture state and it is impractical to separate them
- Oil water separation technology shall be applied as pre-waste treatment if it is applicable
- It shall be treated by incineration
- Incinerate or perform stabilizing treatment.
- Anyone with business license number who generates industrial wastes shall treat the waste by him/herself or by entrusting to the legal entities who treat the wastes, recycle the wastes of others or install and operate the waste treatment facilities according
- Dispose of waste in accordance with all applicable laws and regulations.

SECTION 14: TRANSPORT INFORMATION

14.1. UN No.

14.1.1. UN No. (ADR/RID/ADN)

- 1999

14.1.2. UN No. (IMDG CODE/IATA DGR)

- 1999

14.1.3. UN No. (ICAO)

- 1999

14.2. UN proper shipping name

- ASPHALT, AT OR ABOVE ITS FLASH POINT

14.3. Transport hazard class(es)

14.3.1. ADR/RID/ADN Class

- 3

14.3.2. ADR/RID/ADN Class

- Class : 3, TAR, LIQUID, including road oils, and cutback bitumens (vapour pressure at 50 °C more than 110 kPa)

14.3.3. ADR Label No.

- 3

14.3.4. IMDG Class

- 3

14.3.5. ICAO Class/Division

- 3

14.3.6. Transport Labels



14.4. Packing group

14.4.1. ADR/RID/ADN Packing group

- III

14.4.2. IMDG Packing group

- III

14.4.3. ICAO Packing group

- III

14.5. Environmental hazards

- Not applicable

14.6. Special precautions for user

- Local transport follows in accordance with Dangerous goods Safety Management Law.
- Package and transport follow in accordance with Department of Transportation (DOT) and other regulatory agency requirements.
- EmS FIRE SCHEDULE : F-E (Non-water-reactive flammable liquids)
- EmS SPILLAGE SCHEDULE : S-E (Flammable liquids, floating on water)
- Emergency Action Code : 2WE
- Hazard No.(ADR) : 33
- Tunnel Restriction Code : 2 (D/E)

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

- Not applicable

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulation / legislation specific for the substance or mixture

15.1.1. Europe regulatory

15.1.1.1 REACH Restricted substance under REACH

- Not applicable

15.1.1.2 REACH Substances subject to authorization under REACH

- Not applicable

15.1.1.3 REACH SVHC

- Not applicable

15.1.1.4 Europe PBT

- Not applicable

15.1.1.5 European Union (EU) Transport of Dangerous Goods by Road - Dangerous Goods List

- Not applicable

15.2. Chemical Safety Assessment

- Not conducted

SECTION 16: OTHER INFORMATION**16.1. Indication of changes**

- The Safety Data Sheet has been reviewed and the data therein were revised and laid out according the requirements of the Commission Regulation (EC) No. 1907/2006

16.2. Abbreviations and acronyms

- 1272/2008 CLP : Classification, Labelling and Packaging regulation.
- REACH : Registration, Evaluation and authorisation of chemical substances.
- DNEL : Derive no effects level
- PNEC : Predicted no effect concentration

16.3. Key literature references and sources for data

- This Safety Data Sheet was compiled with data and information from the following sources: RTECS, ECOSAR, HSDB, SIDS SIAP, ChemWATCH, CESAR, Chemical DB

16.4. Classification procedure

- The mixture classification has been derived based on the classification of the individual components in accordance with the rules set out in Regulation (EC) No 1272/2008 (CLP) as well as the translation tables in Annex VII to the same regulation.

16.5. Training advice

- Not applicable

16.6. Further information

- The (M)SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.
- This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only.
- It should not therefore be construed as guaranteeing any specific property of the product.
- Contact National Helpdesks, List of Telephone Numbers : AUSTRIA (Vienna Wien) +43 1 515 61 0, BELGIUM (Brussels Bruxelles) +32 070 245 245, BULGARIA (Sofia) +359 2 9888 205, Croatia +385 1 2348 342 CZECH REPUBLIC (Prague Praha) +420 224 919 293 or +420 224 915 402, DENMARK (Copenhagen) 82 12 12 12, ESTONIA (Tallinn) 112, FINLAND (Helsinki) +358 9 471 977, FRANCE (Paris) +33 1 45 42 59 59, GERMANY (Berlin) +49 30 19240, GREECE (Athens Athinai) +30 210 77 93 777, HUNGARY (Budapest) +36 80 201 199, ICELAND (Reykjavik) +354 543 2222 or 112, IRELAND (Dublin) +353 1 8379964 or +353 1 809 2166, ITALY (Rome) +39 06 305 4343, LATVIA (Riga) 112 or +371 6704 2473, LITHUANIA (Vilnius) +370 5 236 20 52 or +370 687 53378, Luxembourg +352 70 245 245, MALTA +356 2122 4071, NETHERLANDS (Bilthoven) +31 30 274 88 88, NORWAY (Oslo) 22 591300, POLAND (Gdansk) +48 58301 65 16 or +48 58 349 2831, PORTUGAL (Lisbon Lisboa) 808 250 143, ROMANIA (Bucharest) +40 21 3183606 SLOVAKIA (Bratislava) +421 2 54 77 4166. SLOVENIA (Ljubliana) + 386 41 650 500. SPAIN +34 91 562 04 20(spanish)